



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

June 23, 1997

Mike Nachazel  
Glacier Vista  
PO Box 350  
McKenna, WA 98558-0350

Dear Mr. Nachazel:


Re: Glacier Vista Replacement Well - Permit G2-28968

Thank you for notifying us of your intent to construct a replacement well. I am attaching the criteria under which a replacement well can be constructed without first filing an *Application for Change of Water Rights* for you to review.

Once you have completed drilling, please forward a copy of the well drilling construction report for the new well. Your permit will be amended once we receive the well log, and, as we discussed, you may be required to republish the public notice.

Please feel free to contact me at (360) 407-0274 if you have any additional questions.

Sincerely,



Jill Walsh  
Shorelands and Water Resources

JW:th  
Enclosures



June 18, 1997  
Memo to File  
Jill Walsh

Met on site with Mike Nachazel to discuss the drilling of a replacement well for Glacier Vista. The original well has high arsenic levels, and it is unlikely that treatment will be feasible. Mike and his partners want to construct a new well, approximately 800 feet away. They think the arsenic is localized and they can get better water quality at another site.

I advised him that under the current replacement well policy he could go ahead and construct a replacement well, especially since the original well will be abandoned. I told him to send a letter detailing what he wants to do, than submit a well log for the new well. We will not make him file an Application for Change, and will amend the permit with the new location.



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

April 28, 1997

Greg Helle, Owner  
Glacier Vista  
13313 86th Avenue E  
Puyallup, Washington 98373

Dear Mr. Helle:

Re: Ground Water Permit No. G 2-28968

Enclosed is Permit No. G 2-28968. Our information indicates that you have begun construction of your project. We are enclosing a Notice of Completion which must be filed when you have finished the work.

If you cannot complete your project by September 1, 1999, you must contact this office.

This order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days of the date this decision was mailed. At the same time your appeal must be sent to the Department of Ecology c/o Enforcement Officer, PO Box 47600, Olympia, WA 98504-7600. Your appeal alone will not stay the effectiveness of the Order. These procedures are consistent with Chapter 43.21B RCW.

Please read the enclosed information sheet, as well as both sides of your permit.

Sincerely,

Gale Blomstrom  
Shorelands & Water Resources Supervisor  
Southwest Regional Office

GB:th(permit2)  
Enclosures

